A brown dog is shown in profile, looking upwards towards a circular recessed ceiling light. The dog's head is tilted back, and its eyes are focused on the light. The background is a plain, light-colored wall and ceiling, creating a clean, minimalist aesthetic. The lighting is soft and even, highlighting the dog's fur texture.

Even your dog
will love it...

VELUX®

NEW
available from June 2015



introducing
**VELUX SUN
TUNNEL 2.0**



**New look
Edge Glow**



**Easier to
install**



**Easier to
clean**



**Improved
BAL rating**

Before



After



NOW
improved bushfire rating
BAL 29

SUN TUNNEL 2.0 at a glance

Easy installation on roofs with pitches from 15° to 60°

Toughened glass – no scratching, discolouring or leaking. Rated to Bushfire Attack Level 29 (TWR only, roof pitch 18° to 60°)

Up to 6 metres from roof to ceiling

New top collar and removable sash – you can install from the roof

New Flexi Loc™ system for easy installation

Edge Glow – a better looking, more dynamic light

Floods up to 9m² in natural light

Twin diffuser blocks out heat and is easy to clean. Just unscrew it like a bottle cap...

Inexpensive natural light for hallways, walk-in robes, pantries, toilets and other small areas without natural light

MUCH IMPROVED...same price



✓ New look Edge Glow

Edge Glow is a clear ring on the edge of the diffuser. Looks sensational and spreads the light even better.



✓ Easier to install

With the new removable window sash you can install VELUX Sun Tunnel from the outside. No need to enter the attic.



✓ Easier to clean

Dirt in the diffuser? Just unscrew it from the inside like a bottle cap. When clean, screw it back on. Easy as...




✓ Improved BAL rating

VELUX Rigid Sun Tunnel has passed the tough Bushfire Attack Level 29 (BAL 29) test (roof pitch 18° to 60°).



VELUX Rigid Sun Tunnel features the new Flexi Loc™ quick assembly system. No need for screws – you simply connect the tunnel elements with convenient clips. It's much faster and gives you more flexibility to align the elements. An easier installation with a better result.



Please note: Light transmittance of VELUX Sun Tunnels depends on parameters such as sky conditions (cloudy/sunny), direction of sun light, orientation and length of Sun Tunnel. VELUX Sun Tunnels in this chart have been tested with a 1 metre shaft, on a 15° roof pitch in summer, at noon on a sunny day using a photometer. (TWR rigid tunnel emits 440 lumens when measured on a cloudy winter's day).

^ The graph features 60% of total lumen value for these light sources – allowing for light absorption when mounted in a lamp or fixture. (Lumen values represent an average for Australian manufactured products). * Data source: VELUX Daylight Laboratory – Greenwood, South Carolina, USA.

Product information



VELUX Rigid Sun Tunnel (TWR OK14)

- Maximum tunnel length 6m
- New Flexi Loc™ quick assembly system
- Bushfire tested (BAL 29) for roof pitches 18° to 60°
- 3 times more light than VELUX Flexible Sun Tunnel
- Price \$549 incl. GST



VELUX Flexible Sun Tunnel (TWF OK14)

- Maximum tunnel length 2.2m
- Same toughened glass as VELUX Rigid Sun Tunnel
- Same twin diffuser as VELUX Rigid Sun Tunnel
- 2.5 times more light than a 100W bulb (see chart inside)
- Price \$330 incl. GST

VELUX Sun Tunnels are ideal for hallways, walk-in robes, pantries, toilets and other small areas without natural light. For kitchens, living areas, bedrooms and bathrooms we recommend VELUX skylights.

VELUX®

VELUX Australia Pty Ltd

78 Henderson Road

Alexandria NSW 2015

Telephone: 1300 859 856

Fax: (02) 9550 3289

Email: customer.service@VELUX.com.au

Website: www.VELUX.com.au